

## WISE-GRIP® Locking Pliers

### Locking C-Clamps

Adjustment for quick pre-adjusting and repeat clamping. Locks to work with hand squeeze. Easy-release trigger.

WISE-GRIP



Part No. 11SP

| Part No. | Description                     | Jaw Adjustment | Jaw Depth | Replacement Parts |         |
|----------|---------------------------------|----------------|-----------|-------------------|---------|
|          |                                 |                |           | Screws            | Springs |
| 04SP     | 4" w/ swivel pads               | 0 - 1-5/8"     | 1-1/4"    | 0091              | 0092    |
| 006R     | 6" w/ regular tips              | 0-2"           | 1-1/2"    | 0051              | 0052    |
| 06SP     | 6" w/ swivel pads               | 0 - 2-1/8"     |           |                   |         |
| 09DR     | 9" w/ ext. throat regular tips  | 0 - 4-1/2"     | 4-3/4"    | 0021              | 0050    |
| 09SP     | 9" w/ swivel pads               |                |           |                   |         |
| 011R     | 11" w/ regular tips             | 0 - 4"         | 2-5/8"    | 0007              | 0008    |
| 11SP     | 11" w/ swivel pads              | 0 - 3-7/8"     |           |                   |         |
| 18DR     | 18" w/ ext. throat regular tips | 0 - 8"         | 9-1/2"    | 0007              | 0034    |
| 018R     | 18" w/ regular tips             |                |           |                   |         |
| 18SP     | 18" w/ swivel pads              |                |           |                   |         |
| 024R     | 24" w/ regular tips             | 0- 12-1/2"     | 15-1/2"   | 0007              | 0034    |
| 24SP     | 24" w/ swivel pads              | 0 - 10"        |           |                   |         |

### Curved Jaw Locking Pliers

The wire cutter will handle anything up to 1/4" bolt. One bite cuts smaller wires; progressive bites cut through the big ones. Heat treated for maximum toughness and durability.



Part No. 10WR-3

| Part No. | Size | Wire Cutter | Tip Adjustment | Tip Thickness | Replacement Parts |         |
|----------|------|-------------|----------------|---------------|-------------------|---------|
|          |      |             |                |               | Screws            | Springs |
| 4WR-3    | 4"   | Yes         | 0 - 1-5/16"    | 7/32"         | 0091              | 0092    |
| 5WR-3    | 5"   |             | 0 - 1-1/4"     | 1/4"          | 0051              | 0052    |
| 7WR-3    | 7"   |             | 0 - 1-5/8"     | 5/16"         | 0021              | 0022    |
| 10WR-3   | 10"  |             | 0 - 1-7/8"     | 7/16"         | 0007              | 0008    |

### Long Nose Locking Pliers

Long nose jaws reach into tight spots where other tools can't. Built-in wire cutter. Adjusts easily for proper locking pressure.



Part No. 9LN-3

| Part No. | Size | Wire Cutter | Adjustment |             | Thickness |           | Replacement Parts |         |
|----------|------|-------------|------------|-------------|-----------|-----------|-------------------|---------|
|          |      |             | Tip        | Base        | Tip       | Base      | Screws            | Springs |
| 4LN-3    | 4"   | Yes         | 0 - 1-5/8" | 0 - 1-1/16" | 1/8"      | 1/4"      | 0091              | 0092    |
| 6LN-3    | 6"   |             | 0 - 2-1/4" | 0 - 1-5/16" | 5/32"     | 5/16"     | 0051              | 0052    |
| 9LN-3    | 9"   |             | 0 - 2-7/8" |             | 3/16"     | 1 - 3/32" | 0021              | 0022    |

### Locking Sheet Metal Tool

Locks to work with powerful grip for smooth and accurate bending and seaming. Adjusting screw and easy release trigger.



Part No. 008R

| Part No. | Size | Jaw Capacity | Jaw Depth |
|----------|------|--------------|-----------|
| 008R     | 8"   | 0 - 3-1/8"   | 1-3/4"    |

### Locking Welding Clamp

Holds parts in proper alignment-even when the material is not identical in thickness. Positive lock leaves hands free.



Part No. 009R

| Part No. | Size | Jaw Capacity | Jaw Depth |
|----------|------|--------------|-----------|
| 009R     | 9"   | 0 - 2-3/4"   | 1-5/8"    |

### Locking Chain Clamp

Holds and locks around any size or shape that the chain can be wrapped around. Adjusts to ratchet action in either direction.



Part No. 020R

| Part No. | Size | Description         |
|----------|------|---------------------|
| 020R     | 9"   | Locking chain clamp |
| 20EXT    | 18"  | Extension chain     |
| 20REP    | 18"  | Replacement chain   |

**WISE-GRIP<sup>®</sup> Locking Pliers / Wrenches / Strait-Line<sup>®</sup>**

**Large Jaw Locking Pliers**

The unique jaw is large enough to handle most situations requiring a large wrench.



Part No. 12LC-3

| Part No. | Size | Jaw Capacity | Replacement Parts |         |
|----------|------|--------------|-------------------|---------|
|          |      |              | Screws            | Springs |
| 12LC-3   | 12"  | 0-3-1/8"     | 0007              | 0008    |

**Straight Jaw Locking Pliers**

Modern version of the original VISE-GRIP<sup>®</sup> locking pliers/wrench. Built rugged. VISE-GRIP<sup>®</sup> tools lock instantly, release quickly and adjust to pliers action.



Part No. 10R-3

| Part No. | Size | Tip Adjustment | Tip Thickness | Replacement Part |         |
|----------|------|----------------|---------------|------------------|---------|
|          |      |                |               | Screws           | Springs |
| 7R-3     | 7"   | 0 - 1-1/8"     | 1/2"          | 0021             | 0022    |
| 7CR-3    | 7"   | 0 - 1-5/8"     | 5/16"         |                  |         |
| 10R-3    | 10"  | 0 - 1-5/8"     | 5/8"          | 0007             | 0008    |
| 10CR-3   | 10"  | 0 - 1-7/8"     | 7/16"         |                  |         |

**Groovelock Pliers**

VISE-GRIP<sup>®</sup> groove joint pliers that adjust 50% faster and have twice the groove positions of standard groove joint pliers. These innovative features allow you to grip work faster and easier than ever before.



Part No. 2078108

| Part No. | Size | Jaw Capacity | Pipe Capacity |
|----------|------|--------------|---------------|
| 2078108  | 8"   | 1-3/4"       | 1"            |
| 2078110  | 10"  | 2-1/4"       | 1-1/2"        |
| 2078112  | 12"  | 2-3/4"       | 2"            |

**Pipe Wrenches**

VISE-GRIP<sup>®</sup> pipe wrenches are designed to last a lifetime. The rugged cast iron housing performs in the most extreme professional applications. The forged upper jaw with hardened teeth provides an incredible bite and the easy spin action of the adjusting nut gets the work done quickly.



Part No. 274105

| Part No. | Size | Pipe Capacity |
|----------|------|---------------|
| 274105   | 8"   | 1"            |
| 274101   | 10"  | 1-1/2"        |
| 274106   | 12"  | 2"            |
| 274102   | 14"  | 2"            |
| 274103   | 18"  | 2-1/2"        |
| 274104   | 24"  | 3"            |
| 274107   | 36"  | 5"            |
| 274108   | 48"  | 6"            |

**Speed-Line Chalk Reel**

- Retrieves chalk line 3-1/2 times faster than a standard chalk reel.
- Patented hook storage and door locking mechanism virtually eliminates spills and line tangles.
- Crank handle clutch release.
- Lightweight ABS impact-resistant case.
- Twisted cotton line.
- Holds about 2 oz. of chalk.



Part No. 64110



| Part No. | Description                       |
|----------|-----------------------------------|
| 64310    | 100' chalk box                    |
| 64110    | 100' metal case chalk reel        |
| 64901    | 8 oz. blue chalk                  |
| 64902    | 8 oz. red chalk                   |
| 64903    | 8 oz. yellow chalk                |
| 64904    | 8 oz. white chalk                 |
| 2031303  | SL6X high-performance reel carded |

**Tape Measure**

- Quick Mark<sup>™</sup> tip for fast and easy marking, no pencil needed.
- Optic White<sup>™</sup> dual sided blade for improved visibility.
- Positive action toggle lock for fast and easy blade locking.
- Blade brake for safe retraction.
- Pro Touch<sup>™</sup> grip for enhanced control.
- 10 foot standout for professional measuring applications.

Part No. 2121600



Part No. 2121600



## Prosnip® / Speedbor® Boring Bits

### Aviation Snips

- Hot drop forged chromium steel blades.
- Serrated blade for positive bite.
- Designed for rapid outside trim and clean cuts.



Part No. 2073111

| Part No. | Cuts                   | Size |
|----------|------------------------|------|
| 2073111  | Left & straight        | 10"  |
| 2073112  | Right & straight       |      |
| 2073113  | Straight & wide curves |      |

### Offset Snips

- Keeps hands safely above work on long inside cuts.
- Forged molybdenum steel blades.
- Exclusive pinch-point wire cutter.
- Cuts up to 1.245 mm / 18 gauge mild metal.
- Serrated blade for positive bite.



Part No. 2073201

| Part No. | Cuts                         | Size   |
|----------|------------------------------|--------|
| 2073115  | Bulldog snip, notch and trim | 10"    |
| 2073201  | Left & straight              | 9-1/2" |
| 2073202  | Right & straight             |        |

### Tinner Snips

- Precision-ground edges on the blades ensure a tight grip.
- Hot drop-forged steel blades.
- Durable spring washer holds blades tightly against each other.
- Pro-Touch™ Grips provide superior comfort, resists twisting.



Part No. 22010

| Part No.               | Length of Cut |    | Overall Length |     |
|------------------------|---------------|----|----------------|-----|
|                        | Inches        | mm | Inches         | mm  |
| <b>Flat Blades</b>     |               |    |                |     |
| 22010                  | 2             | 51 | 10             | 250 |
| 22012                  | 2-3/4         | 70 | 12-3/4         | 320 |
| <b>Duckbill Blades</b> |               |    |                |     |
| 23007                  | 1-1/2         | 38 | 7              | 175 |
| 23010                  | 2             | 51 | 10             | 250 |

### Flat Bit Sets

- Double spur design scribes the hole before the chips are made, producing a cleaner hole and reducing vibration.
- 1/4" hex shank fits all drills and 1/4" quick change adapters.



Part No. 88899

**IRWIN.  
SPEEDBOR.**

| Part No. | Description  |
|----------|--------------|
| 88899    | 6 piece set  |
| 88894    | 13 piece set |

### Standard Length Flat Bits

- Patented Blue-Groove point and cutting edge produce a smoother hole finish.
- Double spurs scribe the outside of the hole which reduces 'break out.'
- Hex shank fits all drills and quick change adapters.



Part No. 88812

**IRWIN.  
SPEEDBOR.**

| Part No. | Diameter |
|----------|----------|
| 88804    | 1/4"     |
| 88805    | 5/16"    |
| 88806    | 3/8"     |
| 88807    | 7/16"    |
| 88808    | 1/2"     |
| 88809    | 9/16"    |
| 88810    | 5/8"     |
| 88811    | 11/16"   |

| Part No. | Diameter |
|----------|----------|
| 88812    | 3/4"     |
| 88813    | 13/16"   |
| 88814    | 7/8"     |
| 88815    | 15/16"   |
| 88816    | 1"       |
| 88818    | 1-1/8"   |
| 88820    | 1-1/4"   |
| 88822    | 1-3/8"   |
| 88824    | 1-1/2"   |

**Magnetic Nutsetter**



Part No. 94212

| Part No. | Hex Body | Overall Length |
|----------|----------|----------------|
| 94212    | 1/4"     | 1-7/8"         |
| 94232    | 5/16"    |                |
| 94252    | 3/8"     |                |
| 94272    | 7/16"    |                |
| 94316    | 1/4"     | 2-9/16"        |
| 94336    | 5/16"    |                |
| 94356    | 3/8"     |                |

**Phillips Power Bit**



Part No. 93007

| Part No. | Point Size | Overall Length |
|----------|------------|----------------|
| 93003    | #1         | 1-15/16"       |
| 93007    | #2         |                |
| 93011    | #3         |                |
| 93025    | #2         | 3-1/2"         |
| 93029    | #3         |                |

**Phillips Insert Bit**



Part No. 92011

| Part No. | Point Size | Overall Length |
|----------|------------|----------------|
| 92005    | #1         | 1"             |
| 92011    | #2         |                |
| 92019    | #3         |                |
| 92075    | #2         | 1-1/4"         |

**Slotted Power Bit  
With Finder**



Part No. 93186

| Part No. | Point Size | Overall Length |
|----------|------------|----------------|
| 93186    | 4-5        | 3-3/4"         |
| 93187    | 5-6        |                |
| 93188    | 6-8        |                |
| 93189    | 8-10       |                |

**Slotted Insert Bit**



Part No. 92113

| Part No. | Point Size | Overall Length |
|----------|------------|----------------|
| 92105    | 3-4        | 1"             |
| 92107    | 4-5        |                |
| 92111    | 6-8        |                |
| 92113    | 8-10       |                |

**Square Recess Power Bit  
2-piece design**



Part No. 93237

| Part No. | Point Size | Overall Length |
|----------|------------|----------------|
| 93237    | #1         | 1-15/16"       |
| 93239    | #2         |                |
| 93241    | #3         |                |

**Square Recess Insert Bit**



Part No. 92205

| Part No. | Point Size | Overall Length |
|----------|------------|----------------|
| 92203    | #1         | 1"             |
| 92205    | #2         |                |
| 92207    | #3         |                |

**Magnetic Bit Holder**



Part No. 93715

| Part No. | Point Size     | Overall Length |
|----------|----------------|----------------|
| 93712    | Std. w/ C-ring | 2-1/4"         |
| 93715    | Knurled        | 3"             |
| 93718    | Std. w/ C-ring |                |

**TORX<sup>®</sup> Insert Bit**



Part No. 92333

| Part No. | Point Size | Overall Length |
|----------|------------|----------------|
| 92318    | T10        | 1"             |
| 92321    | T15        |                |
| 92324    | T20        |                |
| 92327    | T25        |                |
| 92330    | T27        |                |
| 92333    | T30        |                |
| 92336    | T40        | 1-1/4"         |
| 92377    | T50        |                |
| 92381    | T55        |                |

**Square Drive Bit Holder**



Part No. 93813

| Part No. | Bit   | Square Drive | Overall Length |
|----------|-------|--------------|----------------|
| 93813    | 1/4"  | 3/8"         | 1-1/4"         |
| 93815    | 5/16" |              |                |
| 93817    | 5/16" | 1/2"         | 1-1/2"         |

**Utility Knives**

- Smooth, three-position slide.
- Easy push button operation opens the knife and exposes replacement blades.
- Features inside storage for up to 5 blades.
- Includes 6 Irwin BLUE BLADE™ bi-metal utility blades.



Part No. 2082200

| Part No. | Description          |
|----------|----------------------|
| 2082200  | Pro touch            |
| 2081200  | Standard             |
| 2084100  | Bi-Metal 5pk blades  |
| 2084200  | Bi-Metal 20pk blades |

**Quick-Grip® / Tool Bags / “Body” Clamps**

**Bar Clamps**

Soft but durable pads prevent marring of work. Quick release trigger and pistol grip action adjusts and tightens with just one hand.



Part No. 506QC

| Part No. | Weight         | Jaw Adjustment | Throat Depth |
|----------|----------------|----------------|--------------|
| 506QC    | 1 lb, 8 oz.    | 0-6"           | 3-1/4"       |
| 512QC    | 1 lb, 14.4 oz. | 0-12"          |              |
| 518QC    | 2 lbs, 1.6 oz. | 0-18"          |              |
| 524QC    | 2 lbs, 8 oz.   | 0-24"          |              |
| 536QC    | 3 lbs, 1.6 oz. | 0-36"          |              |

**Handi-Clamp**

- Jaws designed to reach around odd shapes.
- Non-marring swivel pads.
- Simple squeeze controls pressure.
- High tech resin.
- Quick release handle.
- One handed operation.
- 12 per counter display.



Part No. 59200CD

| Part No. | Throat Depth | Weight |
|----------|--------------|--------|
| 59200CD  | 2"           | .53 lb |

**Tool Organizers**

- Wide opening compartments provide organization with easy tool access.
- Designed to be lightweight, versatile and durable.
- Pockets reinforced to resist wear and punctures.
- Padded straps/handles – stitched for extra strength.
- Reinforced rivets throughout for added durability.



Part No. 420-002



Part No. 420-004

| Part No. | Description |
|----------|-------------|
| 420-002  | Large tool  |
| 420-004  | Utility     |

**Step Drills- Self Starting, Multiple Hole Sizes**

- Exclusive single radial concave flute design allows the drilling of perfectly round holes in thin materials.
- Constructed of industrial grade high-speed molybdenum steel, heat treated to a hardness of between 61 and 63 on the Rockwell C.
- Self starting tips won't skid like standard twist drill bits. Bits laser marked.



Part No. UNIBIT 3



| Part No.  | No. of Holes | Hole Sizes   | Shank Size |
|-----------|--------------|--------------|------------|
| UNIBIT 1  | 13           | 1/8" - 1/2"  | 1/4"       |
| UNIBIT 2  | 6            | 3/16" - 1/2" |            |
| UNIBIT 3  | 9            | 1/4" - 3/4"  | 3/8"       |
| UNIBIT 4  | 12           | 3/16" - 7/8" |            |
| UNIBIT 10 | 1            | 1/2"         | 1/4"       |
| UNIBIT 11 |              | 7/8"         | 3/8"       |
| UNIBIT 13 |              | 1-1/8"       | 1/2"       |
| UNIBIT 20 | 8            | 9/16" - 1"   | 1/2"       |

**High Speed Steel Set**

- Includes: Unibit® 1, 2, & 3.

Part No. 10502



“Jorgensen” “Pony”®

**Jorgensen® “Body” Clamps  
Style 120 - General Purpose**

A general-purpose clamp for medium/heavy-duty industrial service. High strength-to-weight ratio. The deep-throat has a unique rounded frame for work clearance at top, back and bottom.

- Heat-treated, perlitic and/or iron deep-throat frames, ribbed to resist side strain with longer frame hubs for assured durability.
- Machine-ground, extra wide anvils.
- Cold-drawn steel screws with special smoothly cut Acme threads.
- Steel sliding-pin handles for secure hold.
- Exclusive Jorgensen® swivels with steel internal tooth washers for positive stay-on power.



| Part No. | Opening | Closing | Throat Depth | Extreme Depth | Screw Diameter | Load Limit lbs. |
|----------|---------|---------|--------------|---------------|----------------|-----------------|
| 0122     | 2"      | 0       | 2"           | 2-3/8"        | 9/16"          | 2,500           |
| 0123     | 3"      | 0       | 2-1/4"       | 2-3/4"        | 9/16"          | 4,000           |
| 0124     | 4"      | 0       | 2-1/2"       | 3-1/8"        | 5/8"           | 4,000           |
| 0125     | 5"      | 0       | 3"           | 3-5/8"        | 5/8"           | 4,000           |
| 0126     | 6"      | 0       | 3-1/4"       | 3-7/8"        | 5/8"           | 4,000           |
| 0128     | 8"      | 0       | 3-3/4"       | 4-1/2"        | 3/4"           | 4,000           |
| 0130     | 10"     | 2"      | 4"           | 4-3/4"        | 13/16"         | 5,000           |

**Sanders / Grinders**

**Portable Corded  
Circular Saw Blades**

- Marathon 7" x 24T saw blade is the "Fastest Framing Blade Ever."<sup>™</sup>
- Construction carbide teeth for longer life.
- Thin kerf for fast cuts.
- Fully hardened plate runs truer, longer.
- Irwin<sup>®</sup> Classic blades are the best value for an economy blade with precision ground teeth for smooth, accurate cuts.



Part No. 24030



Part No. 25130

| Part No. | Description                                     |
|----------|---|
| 14030    | 7" x 24 teeth (carded)                          |
| 14031    | 7" x 40 teeth (carded)                          |
| 14070    | 10" x 40 teeth (carded)                         |
| 24030    | 7" x 24 teeth (bulk)                            |
| 25130    | 7" x 24 teeth Irwin <sup>®</sup> Classic (bulk) |



**4-1/2" Angle Grinders**

- Labyrinth construction seals and protects the motor and bearing from dust and debris by creating a complex set of channels.
- Small circumference barrel grip for easy handling.
- Lock on button.
- Spindle thread: 5/8"-11 UNC.



Part No. 9564CV



Part No. 9554NB



Part No. 9557PB

**9564CV**

- Electronic limiter prevents motor burnout.
- Electronic speed control maintains desired speed under load.
- Soft start feature for smooth startups.
- Variable speed: 2,800-10,500 RPM.

**9554NBX**

- Switch is located on top of motor housing.
- All metal gear housing.
- Protective zig-zag varnish for advanced motor protection.

**9557PB & 9557NBX**

- Rotatable gear housing can be positioned every 90°.
- AC/DC switch for alternative power sources.
- Small circumference barrel grip.
- PB version has paddle switch.

| Part No. | No Load Speed | AMPS | Volts |
|----------|---------------|------|-------|
| 9564     | 10,500 RPM    | 9.5  | 120   |
| 9564CV   | 10,500 RPM    | 12   | 115   |
| 9554NB   | 10,000 RPM    | 5    | 120   |
| 9557PB*  | 10,000 RPM    | 7.5  | 120   |
| 9557NBX  | 11,000 RPM    | 7.5  | 120   |

\*With paddle switch

**5" Angle Grinders**

- Electronic limiter prevents motor burnout.
- Electronic speed control maintains desired speed under load.
- Soft start feature for smooth startups (9015A only).
- Lock-on switch (9005B only).
- Spindle thread: 5/8"-11 UNC.



Part No. 9005B

| Part No. | No Load Speed | AMPS | Volts |
|----------|---------------|------|-------|
| 9005B    | 10,000 RPM    | 9    | 115   |
| 9015A    | 10,000 RPM    | 12.5 | 120   |